




Julia R. Bueren
 PUBLIC WORKS DIRECTOR
 March 11, 2014
 PLANS APPROVAL DATE
 The County of Contra Costa or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.




NON-SIDEWALK AREAS




COMMERCIAL AREA




RESIDENTIAL AREA - 1
With Planter Strip



RESIDENTIAL AREA - 2
Sidewalk adjacent to curb



SIDEWALK IMPROVEMENTS
See Note 3



ABOVE GROUND UTILITY CABINET DETAIL

NOTES:

- All distances shown are minimums established by the County. Any exceptions must be approved by the Public Works Department.
- Width of sidewalk and planter strip vary. See specific project plans for widths.
- Detail to be used as approved by the Public Works Department when new sidewalk is installed and utility relocation is not possible.
- No utility boxes or above ground utilities shall be installed in the sidewalk area between the B.C. and E.C. of the curb return in either residential or commercial areas.
- Positioning of facilities along the street frontage is optional with the utility involved and may be adjusted as required to avoid driveways, lot development, and other utilities.
- With approval by the Public Works Department this dimension may be reduced to 3'.
- As rights of way allow, utility poles shall be set back as far from the roadway as possible. The minimum being 5' from edge of pavement, not traveled way. Locating poles and luminaire on the outside of curves shall be avoided whenever possible.

- Area of SW to remain Clr of all utilities, including boxes, unless approved by the Public Works Department.
- All utility location as approved by the Public Works Department. Preferred location is behind the back of SW as shown for Residential Area - 2.

COUNTY OF CONTRA COSTA
 PUBLIC WORKS DEPARTMENT
 MARTINEZ, CALIFORNIA
 STANDARD PLAN

STANDARD UTILITY LOCATIONS

SCALE: NO SCALE DATE: 3/14

DRAWN BY: H. HUSSEY PLAN NO. CU60

NO.	DATE	REVISION DESCRIPTION	BY

CHECKED BY: M. HOLLINGSWORTH

STD. PLAN CU60

58